
CEI-2x10G SFP+

Network Adapter Card for Express-VR7

User's Guide



COM Express®

Revision:	0.1
Date:	2023-12-18
Part Number:	50M-79029-1000

ADLINK
LEADING EDGE COMPUTING

LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Revision History

Revision	Description	Date	Author
0.1	Preliminary release	2023-12-18	CC

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Preface

Disclaimer

Information in this document is provided in connection with ADLINK products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in ADLINK´s Terms and Conditions of Sale for such products, ADLINK assumes no liability whatsoever, and ADLINK disclaims any express or implied warranty, relating to sale and/or use of ADLINK products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. If you intend to use ADLINK products in or as medical devices, you are solely responsible for all required regulatory compliance, including, without limitation, Title 21 of the CFR (US), Directive 2007/47/EC (EU), and ISO 13485 & 14971, if any. ADLINK may make changes to specifications and product descriptions at any time, without notice.

Environmental Responsibility

ADLINK is committed to fulfil its social responsibility to global environmental preservation through compliance with the European Union's Restriction of Hazardous Substances (RoHS) directive and Waste Electrical and Electronic Equipment (WEEE) directive. Environmental protection is a top priority for ADLINK. We have enforced measures to ensure that our products, manufacturing processes, components, and raw materials have as little impact on the environment as possible. When products are at their end of life, our customers are encouraged to dispose of them in accordance with the product disposal and/or recovery programs prescribed by their nation or company.





California Proposition 65 Warning: This product can expose you to chemicals including acrylamide, arsenic, benzene, cadmium, Tris(1,3-dichloro-2-propyl)phosphate (TDCPP), 1,4-Dioxane, formaldehyde, lead, DEHP, styrene, DINP, BBP, PVC, and vinyl materials, which are known to the State of California to cause cancer, and acrylamide, benzene, cadmium, lead, mercury, phthalates, toluene, DEHP, DIDP, DnHP, DBP, BBP, PVC, and vinyl materials, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Trademarks

Product names mentioned herein are used for identification purposes only and may be trademarks / registered trademarks of respective companies.

Copyright © 2023 ADLINK Technology Incorporated

This document contains proprietary information protected by copyright. All rights are reserved. No part of this manual may be reproduced by any mechanical, electronic, or other means in any form without prior written permission of the manufacturer.

Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Safety Instructions

For user safety, please read and follow all Instructions, **WARNING**s, **CAUTION**s, and **NOTE**s marked in this manual and on the associated equipment before handling/operating the equipment.

Read these safety instructions carefully.

- Keep this manual for future reference.
- Read the specifications section of this manual for detailed information on the operating environment of this equipment.
- Turn off power and unplug any power cords/cables when installing/mounting or un-installing/removing equipment.
- To avoid electrical shock and/or damage to equipment:
- Keep equipment away from water or liquid sources;
- Keep equipment away from high heat or high humidity;
- Keep equipment properly ventilated (do not block or cover ventilation openings);
- Make sure to use recommended voltage and power source settings;
- Always install and operate equipment near an easily accessible electrical socket outlet;
- Secure the power cord (do not place any object on/over the power cord);
- Only install/attach and operate equipment on stable surfaces and/or recommended mountings;
- If the equipment will not be used for long periods of time, turn off the power source and unplug the equipment.

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Conventions

The following conventions may be used throughout this manual, denoting special levels of information

Note: This information adds clarity or specifics to text and illustrations.

Caution: This information indicates the possibility of minor physical injury, component damage, data loss, and/or program corruption.

Warning: This information warns of possible serious physical injury, component damage, data loss, and/or program corruption.

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Getting Service

Ask an Expert: https://www.adlinktech.com/en/Askanexpert

ADLINK Technology, Inc.
No. 66, Huaya 1st Rd., Guishan District, Taoyuan City 333411, Taiwan
Tel: +886-3-216-5088
Fax: +886-3-328-5706
Email: service@adlinktech.com

Ampro ADLINK Technology, Inc.
6450 Via Del Oro, San Jose, CA 95119-1208, USA
Tel: +1-408-360-0200
Toll Free: +1-800-966-5200 (USA only)
Fax: +1-408-600-1189
Email: info@adlinktech.com

ADLINK Technology (China) Co., Ltd.
300 Fang Chun Rd., Zhangjiang Hi-Tech Park, Pudong New Area, Shanghai, 201203, China
Tel: +86-21-5132-8988
Fax: +86-21-5132-3588
Email: market@adlinktech.com

ADLINK Technology GmbH
Hans-Thoma-Strasse 11, D-68163 Mannheim, Germany
Tel: +49-621-43214-0
Fax: +49-621 43214-30
Email: emea@adlinktech.com

Please visit the Contact page at www.adlinktech.com for information on how to contact the ADLINK regional office nearest you.

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Table of Contents

Revision History 2
Preface 3
List of Figures 8
1. Introduction 9
2. Specifications 10
2.1. Interface 10
2.2. 10GbE PHY 10
2.3. Dimensions 11
2.4. Operating Temperature 11
2.5. Specification Compliance 12
2.6. IO Expander & EEPROM 12
3. Block Diagram 13
4. Pinout and Signal Descriptions 14
4.1. Input Interface Definitions 14
5. Module Interfaces and Configuration 17
5.1. Connector and LED Locations 17
5.2. Network Adaptor Card Installation 18
6. Mechanical 19

Copyright © 2023 ADLINK Technology, Inc.
ADLINK LEADING EDGE COMPUTING
LRI Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

List of Figures

Figure 1 – CEI-2x10G SFP+ function diagram 13
Figure 2 – Adapter card feature locations 17
Figure 3 – Adapter card installation illustration 18
Figure 4 – CEI-2x10G SFP+ mechanical dimensions 19

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

1. Introduction

The ADLINK CEI-2x10G SFP+ card is a 10GbE SFP+ network adapter card that is dedicated to Express-VR7 module. Delivering 10Gbps network within the guidelines of PICMG COM.0 R3.1 specification, the adapter card converts up to two 10GBASE-KR interfaces, and related CEI sideband signals, to two 10G SFP+ interfaces via SFP+ connectors, through Intel CS4227 PHY and multiple I/O expanders.

The CEI-2x10G SFP+ network adapter card can only be used with ADLINK Express-VR7 COM Express module (PICMG COM.0 R3.1 Type 7 compliant)

Utilizing the CEI-2x10G SFP+ card along with an Express-VR7 COM Express module and Express-BASE7 Plus reference carrier board, you can easily emulate the functionality of your end product for software development and hardware verification. Applications include entry level switch, cloud storage platforms, communications servers, and more.

Copyright © 2023 ADLINK Technology, Inc.
ADLINK LEADING EDGE COMPUTING
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

2. Specifications

2.1. Interface

Input

Up to 2x 10GBASE-KR and related CEI sideband signals from a dedicated COM Express Type 7 module through 164-pin edge connector (PCIe x16 slot PCIEKR on Express-BASE7 Plus)

Output

Up to 2x 10G SFP+ interfaces via 2x SFP+ connectors

2.2. 10GbE PHY

PHY


Intel CS4227

Converts 10GBASE-KR and sidebands to 10G SFP+ interface

PHY Firmware on SPI ROM

Dedicated ROM for storing PHY firmware

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000



2.3. Dimensions

168 mm x 107 mm (PCB only, including edge connector)

2.4. Operating Temperature

0°C to 85°C

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

2.5. Specification Compliance

PICMG COM.0 Rev 3.1 Type 7

2.6. IO Expander & EEPROM

Additional expander and EEPROM not mention are described as:

PCA9555 IO Expander

I2C based device, de-serialized for low speed sideband I/O, including interrupt, reset, etc.

PCA9545 Multiplexer

I2C based device, identifies the capabilities of the attached site.

PCA9685 LED Ctrl

I2C based device, controls LED indication

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

3. Block Diagram





Figure 1 – CEI-2x10G SFP+ function diagram

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

4. Pinout and Signal Descriptions

4.1. Input Interface Definitions

The table below is a comprehensible list of all signal pins supported on the 164-pin Edge connector of the CEI-2x10G SFP+ card. Signal names follow the PICMG COM.0 R3.1 specification. Signals described in the specification but not supported on the CEI-2x10G SFP+ card are marked with strikethrough ~~STRIKETHROUGH.~~



Row B		Row A	
Pin	**Name**	**Pin**	**Name**
B1	12V	A1	NC
B2	12V	A2	12V
B3	12V	A3	12V
B4	GND	A4	GND
B5	NC	A5	NC
B6	NC	A6	NC
B7	GND	A7	GND
B8	CEI_SDA	A8	NC
B9	CEI_SCL	A9	NC
B10	3V3SB	A10	GND
B11	3V3SB	A11	NC
B12	NC	A12	GND
B13	5VSB	A13	NC
B14	5VSB	A14	NC
B15	NC	A15	GND

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Row B		Row A	
Pin	**Name**	**Pin**	**Name**
B16	ETH_PHY_INT#	A16	NC
B17	CEI_INT#	A17	NC
B18	GND	A18	GND
B19	NC	A19	NC
B20	NC	A20	GND
B21	GND	A21	NC
B22	GND	A22	NC
B23	NC	A23	GND
B24	NC	A24	GND
B25	GND	A25	NC
B26	GND	A26	NC
B27	NC	A27	GND
B28	NC	A28	GND
B29	GND	A29	NC
B30	NC	A30	NC
B31	CEI_RST#	A31	GND
B32	GND	A32	NC
B33	10G_KR_RX1+	A33	NC
B34	10G_KR_RX1-	A34	GND
B35	GND	A35	10G_KR_TX1+
B36	GND	A36	10G_KR_TX1-
B37	NC	A37	GND
B38	NC	A38	GND
B39	GND	A39	CEI_MDIO
B40	GND	A40	CEI_MDC
B41	10G_KR_RX0+	A41	GND
B42	10G_KR_RX0-	A42	GND
B43	GND	A43	10G_KR_TX0+
B44	GND	A44	10G_KR_TX0-
B45	NC	A45	GND
B46	NC	A46	GND
B47	GND	A47	NC
B48	NC	A48	NC
B49	GND	A49	GND

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

Row B		Row A	
Pin	**Name**	**Pin**	**Name**
B50	NC	A50	NC
B51	NC	A51	GND
B52	GND	A52	NC
B53	GND	A53	NC
B54	NC	A54	GND
B55	NC	A55	GND
B56	GND	A56	NC
B57	GND	A57	NC
B58	NC	A58	GND
B59	NC	A59	GND
B60	GND	A60	NC
B61	GND	A61	NC
B62	NC	A62	GND
B63	NC	A63	GND
B64	GND	A64	NC
B65	GND	A65	NC
B66	NC	A66	GND
B67	NC	A67	GND
B68	GND	A68	NC
B69	GND	A69	NC
B70	NC	A70	GND
B71	NC	A71	GND
B72	GND	A72	NC
B73	GND	A73	NC
B74	NC	A74	GND
B75	NC	A75	GND
B76	GND	A76	NC
B77	GND	A77	NC
B78	NC	A78	GND
B79	NC	A79	GND
B80	GND	A80	NC
B81	NC	A81	NC
B82	NC	A82	GND

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

5. Module Interfaces and Configuration

This chapter describes connectors, LEDs, and switches that are used on the CEI-2x10G SFP+ card.

5.1. Connector and LED Locations




Figure 2 – Adapter card feature locations

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

5.2. Network Adaptor Card Installation

Below is an example (illustration purposes only) of the CEI-2x10G SFP+ card installed on an Express-BASE7 Plus carrier board with a Type 7 COM Express module.




Figure 3 – Adapter card installation illustration

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000

6. Mechanical




Figure 4 – CEI-2x10G SFP+ mechanical dimensions

Note: All dimensions are shown in millimeters with a tolerance of ± 0.25mm unless otherwise noted.

Copyright © 2023 ADLINK Technology, Inc.
Distribuída no Brasil pela LRI | vendas@lri.com.br | 51 2129-3000